L Number		Search Text	DB	Time stamp
-	1656	709/217.ccls. and @ad<20010105	USPAT ;	2004/04/23 14:11
			US-PGPUB	
-	4518	(709/217.ccls. and @ad<20010105) or	USPAT;	2004/04/23 14:11
		(709/218.ccls. or 709/219.ccls.)	US-PGPUB	
-	103	((709/217.ccls. and @ad<20010105) or	USPAT;	2004/04/23 15:04
		(709/218.ccls. or 709/219.ccls.)) and	US-PGPUB	
		(707/102.ccls.)		
-	506	dynamic\$5 NEAR8 (build\$3 or generat\$4 or	USPAT;	2004/04/23 15:42
		construct\$3 or render\$3) NEAR6 table and	US-PGPUB;	
		@ad<20010105	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	8		USPAT;	2004/04/23 15:15
		construct\$3 or render\$3) NEAR6 table NEAR4	US-PGPUB;	
		(webpage or (web adj2 page)) and	EPO; JPO;	
		@ad<20010105	DERWENT;	
			IBM_TDB	0004/04/02 15 16
-	40	(generat\$4 or build\$3 or creat\$4 or	USPAT;	2004/04/23 15:16
		construct\$3) NEAR5 (webpage or (web adj2	US-PGPUB;	
		page)) NEAR3 table\$1 and @ad<20010105	EPO; JPO;	
			DERWENT;	
		(lapporatés or buildés or greatés or	IBM_TDB	2004/04/22 15 24
-	33	((generat\$4 or build\$3 or creat\$4 or construct\$3) NEAR5 (webpage or (web adj2	USPAT;	2004/04/23 15:24
		page)) NEAR3 table\$1 and @ad<20010105) not	US-PGPUB;	1
		(dynamic\$5 NEAR8 (build\$3 or generat\$4 or	EPO; JPO; DERWENT;	1
		construct\$3 or render\$3) NEAR6 table NEAR4	IBM_TDB	1
		(webpage or (web adj2 page)) and		
		(webpage of (web adj2 page)) and @ad<20010105)		
_	6	analyz\$4 NEAR5 (form adj3 head) and	USPAT;	2004/04/23 15:25
	0	@ad<20010105	US-PGPUB;	2004/04/25 15:25
		644(20010105	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	13	(display\$3 or present\$3 or publish\$3) NEAR5	USPAT;	2004/04/23 15:30
		table SAME ((user or client) NEAR3 priority)	US-PGPUB;	
		and @ad<20010105	EPO; JPO;	
			DERWENT;	
			IBM TDB	
- 1	958	(715/509.ccls. or 715/513.ccls.) and	USPAT;	2004/04/23 15:30
		@ad<20010105	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
-	48	((715/509.ccls. or 715/513.ccls.) and	USPAT;	2004/04/23 15:31
ļ		<pre>@ad<20010105) and table NEAR5 ((web adj2</pre>	US-PGPUB;	
		page) or webpage)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	~			2004/04/23 15:43
- 1	0	((data adj2 binding adj2 object) NEAR6	USPAT;	1
-	0	((data adj2 binding adj2 object) NEAR6 DHTML) and @ad<20010105	US-PGPUB;	
-	0		US-PGPUB; EPO; JPO;	
-	0		US-PGPUB; EPO; JPO; DERWENT;	
-		DHTML) and @ad<20010105	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	0	DHTML) and @ad<20010105 ((data adj2 binding adj2 object) SAME DHTML)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/23 15:43
-		DHTML) and @ad<20010105	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/23 15:43
-		DHTML) and @ad<20010105 ((data adj2 binding adj2 object) SAME DHTML)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/23 15:43
-		DHTML) and @ad<20010105 ((data adj2 binding adj2 object) SAME DHTML)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/23 15:43
-	0	DHTML) and @ad<20010105 ((data adj2 binding adj2 object) SAME DHTML) and @ad<20010105	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-		DHTML) and @ad<20010105 ((data adj2 binding adj2 object) SAME DHTML) and @ad<20010105 ("5761673" "5915252" "5956736"	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/23 15:43 2004/04/26 09:46
-	0	DHTML) and @ad<20010105 ((data adj2 binding adj2 object) SAME DHTML) and @ad<20010105 ("5761673" "5915252" "5956736" "6429880" "6449659" "6505343").PN.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/04/26 09:46
-	0	DHTML) and @ad<20010105 ((data adj2 binding adj2 object) SAME DHTML) and @ad<20010105 ("5761673" "5915252" "5956736" "6429880" "6449659" "6505343").PN. (table NEAR4 (user adj2 priority)) and	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT;	
-	0 6 18	DHTML) and @ad<20010105 ((data adj2 binding adj2 object) SAME DHTML) and @ad<20010105 ("5761673" "5915252" "5956736" "6429880" "6449659" "6505343").PN. (table NEAR4 (user adj2 priority)) and @ad<20010105	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; US-PGPUB	2004/04/26 09:46 2004/04/26 09:54
-	0	DHTML) and @ad<20010105 ((data adj2 binding adj2 object) SAME DHTML) and @ad<20010105 ("5761673" "5915252" "5956736" "6429880" "6449659" "6505343").PN. (table NEAR4 (user adj2 priority)) and @ad<20010105 (((database or table or field) NEAR4 data)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT; US-PGPUB USPAT;	2004/04/26 09:46
-	0 6 18 12	DHTML) and @ad<20010105 ((data adj2 binding adj2 object) SAME DHTML) and @ad<20010105 ("5761673" "5915252" "5956736" "6429880" "6449659" "6505343").PN. (table NEAR4 (user adj2 priority)) and @ad<20010105 (((database or table or field) NEAR4 data) NEAR7 (user adj2 priority)) and @ad<20010105	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT; US-PGPUB USPAT; US-PGPUB	2004/04/26 09:46 2004/04/26 09:54 2004/04/26 09:52
-	0 6 18	DHTML) and @ad<20010105 ((data adj2 binding adj2 object) SAME DHTML) and @ad<20010105 ("5761673" "5915252" "5956736" "6429880" "6449659" "6505343").PN. (table NEAR4 (user adj2 priority)) and @ad<20010105 (((database or table or field) NEAR4 data) NEAR7 (user adj2 priority)) and @ad<20010105 ((((database or table or field) NEAR4 data)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT; US-PGPUB USPAT; US-PGPUB USPAT;	2004/04/26 09:46 2004/04/26 09:54
-	0 6 18 12	DHTML) and @ad<20010105 ((data adj2 binding adj2 object) SAME DHTML) and @ad<20010105 ("5761673" "5915252" "5956736" "6429880" "6449659" "6505343").PN. (table NEAR4 (user adj2 priority)) and @ad<20010105 (((database or table or field) NEAR4 data) NEAR7 (user adj2 priority)) and @ad<20010105	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT; US-PGPUB USPAT; US-PGPUB	2004/04/26 09:46 2004/04/26 09:54 2004/04/26 09:52

1

٠

		•	, /	
-	40	(display NEAR6 field\$1) NEAR6 ((user or client) NEAR3 (access or level or clearance	USPAT; US-PGPUB	2004/04/26 10:04
-	8	or security)) and @ad<20010105 (dynamic\$4 NEAR10 (generat\$3 or build\$3) NEAR6 table\$1 NEAR5 (webpage\$1 or (web adj2	USPAT; US-PGPUB;	2004/04/26 10:33
		page\$1))) and @ad<20010105	DERWENT; IBM TDB	
-	0	707/509.ccls. and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 10:34
-	789	709/218.ccls. and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 10:34
-	105	(709/218.ccls. and @ad<20010105) and (table NEAR10 (generat\$5 or construct\$5 or build\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 12:17
-	5	custom\$4 NEAR6 table NEAR6 (webpage\$1 or (web adj2 page)) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 12:28
_	4	(customized or custom or custom-made) NEAR6 (webpage or (web adj2 page)) NEAR8 table and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 12:30
-	1	option\$4 NEAR6 (display\$4 or show\$4) NEAR8 table NEAR6 (webpage or (web adj2 page)) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 12:33
-	1	(hid\$3 or ("not" NEAR4 (display or show))) NEAR8 table NEAR6 (webpage or (web adj2 page)) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 12:36
-	1	filter\$3 NEAR5 table NEAR4 (webpage or (web adj1 page)) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 12:36
-	10	filter\$3 NEAR5 (table or database or list or (data adj1 structure)) NEAR4 (webpage or (web adj1 page)) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 12:40
-	3	(webpage or (web adjl page)) NEAR4 derived NEAR5 (table or query) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 12:41
-	0 95		USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 12:42 2004/04/26 12:55
-	2	(((web adj1 page) or webpage) NEAR10 ((dynamic adj1 HTML) or DHTML) and @ad<20010105) and (("DBO" or (data adj1 binding adj2 object)) or ("DSO" or (data adj1 source adj2 object)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 13:00

			3	
-	3	((dynamic adj1 HTML) or DHTML) NEAR6 table\$1 and @ad<20010105	USPAT; US-PGPUB; EPO; JPO;	2004/04/26 15:41
			DERWENT; IBM_TDB	
-	0		USPAT	2004/04/26 12:55
-	6	("5761673" "5915252" "5956736" "6429880" "6449659" "6505343").PN.	USPAT	2004/04/26 12:55
-	1		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 13:01
-	. 362	("DBO" or (data adj1 binding adj2 object)) and @ad<20010105	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 13:01
-	0	("DBO" or (data adj1 binding adj2 object)) NEAR10 ("DHTML" or (dynamic adj2 HTML)) and @ad<20010105	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 13:02
-	0	("DBO" or (data adj1 binding adj2 object)) AND ("DHTML" or (dynamic adj2 HTML)) and @ad<20010105	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 13:02
-	3	("DSO" or (data adj1 source adj2 object)) AND ("DHTML" or (dynamic adj2 HTML)) and @ad<20010105	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 13:08
-	5	(display NEAR4 (webpage or (web adj1 page)) NEAR8 priority) and @ad<20010105	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 13:10
-	8	(display NEAR4 (table or text) NEAR5 before NEAR4 graphic) and @ad<20010105	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 13:11
-	1	(download\$3 NEAR4 (table or text) NEAR5 before NEAR4 graphic) and @ad<20010105	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 13:13
-	346	(text or table) NEAR6 before NEAR4 (graphic or image) and @ad<20010105	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/26 13:14
-	17	((text or table) NEAR6 before NEAR4 (graphic or image) and @ad<20010105) and (webpage or (web adj1 page))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 13:16
-	457	1	IBM_TDB USPAT;	2004/04/26 13:40
-	13	NEAR4 table hid\$3 NEAR4 (field or column) NEAR4 table	US-PGPUB USPAT;	2004/04/26 13:42
	305	(table or field) NEAR4 privilege and @ad<20010105	US-PGPUB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 13:43
-	39	privilege NEAR4 (display\$3 or view\$3 or show\$3) NEAR4 (table or column or field) and @ad<20010105	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/26.13:48

-	2	privilege NEAR4 (display\$3 or view\$3 or show\$3) NEAR4 (table adj3 (field or data)) and @ad<20010105	USPAT; EPO; JPO; DERWENT;	2004/04/26 13:5
-	0	privilege NEAR4 (display\$3 or view\$3 or	IBM_TDB USPAT;	2004/04/26 13:5
		show\$3) NEAR4 (salary or (social adj2 security)) NEAR6 table and @ad<20010105	EPO; JPO; DERWENT; IBM TDB	
-	0	privilege NEAR4 (display\$3 or view\$3 or show\$3) NEAR10 (salary or (social adj2 security)) NEAR6 table and @ad<20010105	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/04/26 13:5
-	0	(privilege NEAR4 (display\$3 or view\$3 or show\$3)) SAME (salary or (social adj2 security)) NEAR6 table and @ad<20010105	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/04/26 13:5
-	14	((privilege\$2 or access\$2 or security or clearance) NEAR4 (display\$3 or view\$3 or show\$3)) SAME (salary or (social adj2	USPAT; EPO; JPO; DERWENT;	2004/04/26 13:5
-	0	security)) NEAR6 table and @ad<20010105 hid\$3 NEAR8 (salary or (social adj2 security)) NEAR6 table and @ad<20010105	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2004/04/26 13:5
-	0	hid\$3 SAME (salary or (social adj2 security)) NEAR6 table and @ad<20010105	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/04/26 13:5
-	12	(hid\$3 or block) SAME (salary or (social adj2 security)) NEAR6 table and @ad<20010105	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/04/26 13:5
-	257	((restrict\$3 or block) NEAR4 access\$3) NEAR12 ((table or database) NEAR4 data) and @ad<20010105	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/04/26 14:0
-	160	((restrict\$3 or block) NEAR4 access\$3) NEAR12 (table NEAR4 data) and @ad<20010105	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/04/26 14:1
-	16	((restrict\$3) NEAR4 access\$3) NEAR12 (table NEAR4 data) and @ad<20010105	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/04/26 14:1
-	2	(((restrict\$3) NEAR4 access\$3) NEAR12 (table NEAR4 data) and @ad<20010105) and ((web adj1 page) or webpage)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/04/26 14:1
	0	<pre>(alter\$3 or vary\$3) NEAR10 (table NEAR6 (webpage or (web adj1 page))) and @ad<20010105</pre>	USPAT; US-PGPUB	2004/04/26 15:0
-	2	<pre>(alter\$3 or vary\$3) SAME (table NEAR6 (webpage or (web adj1 page))) and @ad<20010105</pre>	USPAT; US-PGPUB	2004/04/26 15:0
-		(alter\$3 or vary\$3 or chang\$3 or modify\$3) NEAR6 (webpage or (web adj2 page)) NEAR6 table and @ad<20010105	USPAT; US-PGPUB	2004/04/26 15:1
-		(alter\$3 or vary\$3 or chang\$3 or modify\$3) NEAR6 (table NEAR4 fields) and @ad<20010105	USPAT; US-PGPUB	2004/04/26 15:1
-		(alter\$3 or vary\$3 or chang\$3 or modify\$3) NEAR6 (web adj2 table\$1) and @ad<20010105	USPAT; US-PGPUB	2004/04/26 15:1
-	28	<pre>(alter\$3 or vary\$3 or chang\$3 or modify\$3) NEAR6 table NEAR5 ((fields or columns) NEAR5 (displayed or visible or show\$2)) and</pre>	USPAT; US-PGPUB	2004/04/26 15:3
-	o	<pre>@ad<20010105 ((alter\$3 or vary\$3 or chang\$3 or modify\$3) NEAR6 table NEAR5 ((fields or columns) NEAR5 (displayed or visible or show\$2)) and @ad<20010105) and (webpage or (web adj2 page))</pre>	USPAT ; US - PGPUB	2004/04/26 15:1

-	3		USPAT;	2004/04/26 15:38
	1	NEAR6 (webpage or (web adj2 page)) NEAR5	US-PGPUB	
		table and @ad<20010105		
-	0	sort\$3 NEAR5 (webpage or (web adj2 page))	USPAT;	2004/04/26 15:41
	1	NEAR4 table and @ad<20010105	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	5	sort\$3 SAME ((webpage or (web adj2 page))	USPAT;	2004/04/26 15:48
	_	NEAR4 table) and @ad<20010105	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	9	("DSO" or (data adj2 source adj2 object))	USPAT;	2004/04/27 10:26
_		NEAR8 ((class or object) NEAR4	US-PGPUB	2004/04/2/ 10:20
		identification) and @ad<20010105	05-FGF0B	
-	10	("DSO" or (data adj2 source adj2 object))	USPAT;	2004/04/27 10:29
-	10	SAME ((class or object) NEAR4	US-PGPUB	2004/04/2/ 10:29
		identification) and @ad<20010105	05-PGP06	
	1	•	HODAW.	2004/04/27 10.27
-	1	SAME ((class or object) NEAR4	USPAT; US-PGPUB	2004/04/27 10:27
		identification) and @ad<20010105) not	US-PGPUB	
		(("DSO" or (data adj2 source adj2 object))		
		NEAR8 ((class or object) NEAR4		
	4.0	identification) and @ad<20010105)	UODAM	2004/04/07 10 20
-	48	("DSO" or (data adj2 source adj2 object))	USPAT;	2004/04/27 10:30
		AND ((class or object) NEAR4 identification)	US-PGPUB	
	1.4	and @ad<20010105		2004/04/05 10 20
-	14		USPAT;	2004/04/27 10:32
		NEAR10 table) AND ((class or object) NEAR4	US-PGPUB	
	1105	identification) and @ad<20010105		
-	1107		USPAT;	2004/04/27 10:32
		table)	US-PGPUB	
-	823		USPAT;	2004/04/27 10:32
		table) and @ad<20010105	US-PGPUB	
-	3	("data source object" NEAR10 table) and	USPAT;	2004/04/27 11:26
		@ad<20010105	US-PGPUB	
-	0	("data binding object") and @ad<20010105	USPAT;	2004/04/27 11:26
			US-PGPUB	
-	600	(class and object) NEAR8 ("ID" or	USPAT;	2004/04/27 11:27
		identification) and @ad<20010105	US-PGPUB	
-	223	(class and object) NEAR2 ("ID" or	USPAT;	2004/04/27 11:34
1		identification) and @ad<20010105	US-PGPUB	
-	29	((class and object) NEAR2 ("ID" or	USPAT;	2004/04/27 11:32
	1	identification) and @ad<20010105) and DHTML	US-PGPUB	
-	7	((class and object) NEAR2 ("ID" or	USPAT;	2004/04/27 11:32
		identification) and @ad<20010105) and (data	US-PGPUB	
		NEAR3 binding NEAR3 object)		
-	4	("class identification" and "object	USPAT;	2004/04/27 11:34
	<u> </u>	identification") and @ad<20010105	US-PGPUB	

.

|

٠